





5%                      40                      30%                      60  
 50%                      80

(

!)



\*



\* Aldoori WH, Giovannucci EL, Rimm EB, et al. A prospective study of diet and the risk of symptomatic diverticular disease in men // Am J Clin Nutr. 1994 Nov; 60(5): 757-64

( )

(1500 )

80%

( )

( )



( )

( )<sup>®</sup>

400 2 ( M1)  
800 2 ( M2) -

10

3

11

1)

(p < 0,0001),

(p < 0,001).



THE COCHRANE  
COLLABORATION<sup>®</sup>

2010

6

818

3

Di Mario F., Comparato G, Fanigliulo L, Aragona G et al. Use of mesalazine in diverticular disease J. Clin. Gastroenterol. - 40. - 2006. - P. 155- 159.

( )

Gatta L, Vakil N, Vaira D, et al. Efficacy of 5 ASA in the treatment of colonic diverticular disease. J Clin Gastroenterol. 2010 Feb; 44(2): 113- 9

(800 )

8

Trespi E, Panizza P, Colla C et al. Efficacy of low dose mesalazine (5 ASA) in the treatment of acute inflammation and prevention of complications in patients with symptomatic diverticular disease. Minerva Gastroenterol Dietol. 1997 Sep; 43(3):157-62.

2002 .

(800 / )  
(2,4 / ) 10

(1,6 / ) 8

78%

Brandimarte G, Tursi A Rifaximin plus mesalazine followed by mesalazine alone is highly effective in obtaining remission of symptomatic uncomplicated diverticular disease. Med Sci Monit. 2004 May;10(5):P170-3.

). 1

170

200 2 ( 1),  
400 2 ( 2),

Tursi A. Mesalazine for diverticular disease of the colon A new role for an old drug // Expert Opin. Pharmacother. - 6. - 2005. - P. 69- 74

( )<sup>®</sup>



®

( )<sup>®</sup>

Plantago ovata ( ) -  
(psyllium).

®

( ).

(

• ;  
• ;  
• ;  
( )

®



:

- 3 6 (10 20 )  
2 3
- 2 3 (6 10 )
- 1 2 (3 6 )  
1 2

1) Fujimori S, Gudis K, Mitsui K et al. A randomized controlled trial on the efficacy of synbiotic versus probiotic or prebiotic treatment to improve the quality of life in patients with ulcerative colitis. // Nutrition. 2009 May; 25(5):520-5.

2) Hotz, J., Plein, K. Wirkung von Plantago Samenschalen im Vergleich zu Weizenkleie auf Stuhlfrequenz und Beschwerden beim Colon irritabile Syndrom mit Obstipation. Med. Klin. 89, 645-651, 1994

